

ERRATUM

Open Access



Erratum to: Metabolic fingerprinting of *Lactobacillus paracasei*: the optimal quenching strategy

Kristina B. Jäpelt^{1,2*}, Jan H. Christensen¹ and Silas G. Villas-Bôas³

Erratum to: *Microb Cell Fact* (2015) 14:132 DOI 10.1186/s12934-015-0322-5

Unfortunately, the original version of this article [1] contained an error within the abstract. The sentence beginning with “Membrane integrity assayed by propidium iodide” reads “approximately 10 % of the *L. paracasei* cell membranes were damaged” but should read “approximately 100 % of the *L. paracasei* cell membranes were damaged”. The abstract has been corrected in the original article.

Author details

¹ Analytical Chemistry Group, Department of Plant and Environmental Sciences, Faculty of Science, University of Copenhagen, Copenhagen, Denmark.

² Chr. Hansen A/S, Hoersholm, Denmark. ³ The Metabolomics Lab, School of Biological Sciences, University of Auckland, Auckland, New Zealand.

Received: 6 January 2016 Accepted: 6 January 2016
Published online: 20 January 2016

Reference

1. Jäpelt KB, Christensen JH, Villas-Bôas SG. Metabolic fingerprinting of *Lactobacillus paracasei*: the optimal quenching strategy. *Microb Cell Fact*. 2015;4(14):132. doi:10.1186/s12934-015-0322-5.

The online version of the original article can be found under doi:10.1186/s12934-015-0322-5.

*Correspondence: dkkba@chr-hansen.com

² Chr. Hansen A/S, Hoersholm, Denmark

Full list of author information is available at the end of the article